



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----



9	10	11	12	13	14	15	16
---	----	----	----	----	----	----	----



Surface: Aluminium, precision turned	
Light distribution: 2 x 40 ° [1/10]	
LED :	
4000 K   2390 lm   CRI > 80   ~ 18W   500 mA   36V	E
4000 K   1756 lm   CRI > 80   ~ 13W   350 mA   36V	

Dimension Punteo Ø x H [mm]: 85 x 98  
Ceiling cut-out Ø x H [mm]: 74 x 115  
Protection system: IP 20 | Protection class II\*  
Ambient temperature: < 35°C


Electrical connection:  
300 mm with free cable end to be accommodated in the ceiling cavity next to the lamp for connection to LED drivers

\*Standard-driver [separate item]:  
LVG500-024-02-02 - DALI dimmable [18W]  
LVG350-017-02-02 - DALI dimmable [13W]


Light distribution curve [Idc]:

01	Heatsink - black
02	Reflector, aluminium highly specular
03	LED-Array
04	Cover ring, aluminium precision turned
05	Mounting springs
06	Cable to LED-driver, L = 300mm
07	LED-driver - DALI dimmable*
08	Plasterboard-ceiling

Mounting situation [1:4]:



3D-view:





This drawing is passed on with all rights reserved to durlum, and must **ONLY** be used for common purpose projects.

Transmission to third parties especially competitors is prohibited!

durlum GmbH, Schopfheim, Germany

Released for production

Please refer to the general instructions for the operation

 Dr. Ing. Gert Göbel Gübelstr. 10 42699 Solingen Germany Tel. 0212 3001-100	Product : Point - Line - Plane Punteo J085 durlum technical documents					
Date	Name	Punteo J 085 18 W LED				durlum GmbH
27.04.2015	FB / AF / FF	Pun J085-018-W4-03				Am der Miese 5 79650 Schopfheim Germany
A3	Layer	01234567	F-Pun J085-018-W4-03			E-mail : <a href="mailto:info@durlum.de">info@durlum.de</a> Fax : +49 7622 3906-42



urium GmbH  
in der Wiese 5  
9650 Schopfheim  
Germany

E-mail: [info@durium.de](mailto:info@durium.de)